

# SAFE HOME CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

# Invitation to Bid HNS 18-36

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

#### **Documents included in Package:**

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

#### **Bid Walk & Bid Opening:**

Project Address: 1828 Brownstone St. LEAD SAFE CHARLOTTE W/ HEALTHY HON				
Bid Walk: March 29, 2018 at 1:00 pn	n			
Bid Opening: April 5, 2018 at 2:00 pr	m			
Client Name:	Contact Number:			
Project Manager: Mike Taylor	ect Manager: Mike Taylor Contact Number: 704-336-4115			

#### **Bid Walk and Bidding Instructions:**

All bid walks are mandatory.

*If you are going to be late the policy is the following:* 

Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at Mike Taylor (cell # 980-215-1156).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.



## SAFE HOME

**CITY OF CHARLOTTE** 

NEIGHBORHOOD & BUSINESS SERVICES

Company A	Acknow	ledgement:
-----------	--------	------------

The undersigned, having become thoroughly familiar with the terms, conditions, limitations, and provisions of the housing improvement work to be performed at <u>1828 Brownstone St.</u> to be funded through the City of Charlotte Neighborhood & Business Services, in addition, having fully inspected the site in all particulars, hereby proposes and agrees to fully perform the work within the time stated and in strict accordance with the proposed contract documents including furnishing of any and all labor and materials, and to do all work required to complete said Work in accordance with the advised respective contractual, for the sum of money:

All labor, materials, services and equipment necessary for the completion of the Work shown on the Drawings and in the Specifications:

on the Drawings and i	the Specifications:
	Dollars (\$
Written total	
Specs Dated: 3/5/18	Number of Pages: 3 plus 1 page lead scope plus floor plan
Addenda # 1 Dated:	Number of Pages:
Addenda # 2 Dated:	Number of Pages:
Project Schedule: Minim	m Start Date - 5/21/18
Completion Deadline: 6	0/18

Please Print and Sign:		
Company Name/Firm:		
Authorized Representative Name:		
Signature:	Date:	



# SAFE HOME CITY OF CHARLOTTE

**NEIGHBORHOOD & BUSINESS SERVICES** 

### **Requirements For Bidders**

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Mikel Taylor Rehabilitation Specialist City of Charlotte Neighborhood and Business Services 600 E. Trade St. Charlotte, NC 29202

PH: (704) 336-4115 Fax: (704) 632-8575



## SAFE HOME

**CITY OF CHARLOTTE** 

**NEIGHBORHOOD & BUSINESS SERVICES** 

### **Instructions to Bidders**

#### **Explanations to Bidders**

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

#### **Preparation of Bids**

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

#### **Submittal of Bids**

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative

G:\SELECTIVE REHAB TEAM\forms\bid forms and documents\Invitation to bid WARREN



# SAFE HOME

**CITY OF CHARLOTTE** 

NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
  - o Scope of Work
  - o Addenda Acknowledgement
  - o Itemized Work Sheet
  - Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

# **Work Specification**

Prepared By:
City of Charlotte Housing & Neighborhood Services
600 E. Trade Street
Charlotte, NC 28202
(704) 336-7600

Property Details	and any other communication and the first of the first of the second and the seco				***** * ****** *** *** *** ****		
Address:	1828 Brownstone St	Owner	:	Bobb	y Pifer		
	Charlotte, NC 28216	Owner	Phone:	Office	e: (704) 641	-6756	
Structure Type:	Single Unit	Progra	m(s):	Lead	Safe		
Square Feet:	980						
Year Built:	1959						
Property Value:	58200						
Tax Parcel:	07506508						
Census Tract:							
Property Zone:	Council District 2						
			ga gangap anna a martania a a a a a a a a	r amen amana agum			
Repairs					and the state of the		
<u>Description</u>	yy sa ara-maintana	entaples, and manufactures of the second security of the second s		<u>Floor</u>	Room	and december and a gift december 25	Exterior
, and a popular of a contract and per automorphisms and an extension of the contract of the co	Scope		tant and transfer easier and easier	<u>Floor</u>	<u>Room</u> Hazardoi	us Cond	
Description Lead Based Paint	Scope . An allowance to complete the scope of	work attached.	and and a service service of	Floor		us Cond	
Description Lead Based Paint		work attached.  Bid Cost:		<u>Floor</u>		us Cond	
<u>Description</u> Lead Based Paint			Base			us Cond	
<u>Description</u> Lead Based Paint	a. An allowance to complete the scope of				Hazardo	=	ditions
Description Lead Based Paint See attached scope Electric Service 20 Replace electrical s	a. An allowance to complete the scope of	Bid Cost:	Base circuit pa	X	Quantity  Electrica	= Il Syste	Total Cost
Description Lead Based Paint See attached scope Electric Service 20 Replace electrical s service cable, groun	e. An allowance to complete the scope of the	Bid Cost:ect, 110/220 volt, 24 of all sub-panels. Ca	Base circuit pa ulk exteri	X	Quantity  Electrica  Ird, meter so	= Il Systemocket, wition.	Total Cost m and Fire reather head,
Description Lead Based Paint See attached scope Electric Service 20 Replace electrical service cable, ground REQUIRES AN ELE	e. An allowance to complete the scope of the	Bid Cost:ect, 110/220 volt, 24 of all sub-panels. Ca	Base circuit pa ulk exteri	X	Quantity  Electrica  Ird, meter so	= Il Systemocket, wition.	Total Cost m and Fire reather head,
Description Lead Based Paint of See attached scope Electric Service 20 Replace electrical service cable, ground REQUIRES AN ELECTRIC DEBRIS.	e. An allowance to complete the scope of the	Bid Cost:ect, 110/220 volt, 24 of all sub-panels. Ca	Base circuit pa ulk exteri	X	Quantity  Electrica  Ird, meter so	= Il Systemocket, wition.	Total Cost m and Fire reather head,

Response Due: 3/5/2018 12:00 PM

# **Work Specification**

#### **Correct Wiring Deficiencies**

**Electrical System and Fire** 

Protect all exposed wiring behind wall and ceiling surfaces or enclose in code approved conduit or raceways. All wiring connections or terminations must be enclosed in code approved junction or device boxes with covers.

(BILL TO HEALTHY HOMES)

	Bid Cost:		<=_	
		Base	Quantity	Total Cost
Smoke Detector Hard Wired			Electrical Sy	stem and Fire
Install UL approved, interconnected, ceiling mounted battery backups in bedrooms and outside of sleepin		s permanently	y wired into a recept	acle boxes with
DETECTOR IN HALL SHALL BE COMBINATION C	O/SMOKE DETECTOR			
(BILL TO HEALTHY HOMES)				
	Bid Cost:	)	<b>(</b> =	
		Base	Quantity	Total Cost
Range Hood Exterior Vented	yannaylanada ilifaddi diib iyi ha habadiga aa ayaan aa aa ah dhigib iyhad aan aa aa ay iyo iyaa	ar o'r congoddiaeggar (gogga daig bladg ddaig ddaigog com com a a	HVAC	amining dan 1996 and 2000 panda and a margarette seminate section and a first section of the section of the sec
Install a switched, exterior ducted ceiling mounted for cap/damper assembly, using #14 copper Romex. C	**	0 sones. Inclu	ude metal vent and i	roof or wall
(BILL TO HEALTHY HOMES)				
	Bid Cost:	,	<b>(</b> =	
			` -	
	<i></i>	Base	Quantity	Total Cost
Dryer Vent				
Dryer Vent Install 4" rigid aluminum vent tubing from the specifi and NO screening. Fasteners shall not protrude into or aluminum foil tape, not duct tape. Secure duct an	ed dryer location to a 4" w	Base	Quantity  Appliance A	ssessment a back flow preventer
Install 4" rigid aluminum vent tubing from the specificand NO screening. Fasteners shall not protrude into	ed dryer location to a 4" w	Base	Quantity  Appliance A	ssessment a back flow preventer
Install 4" rigid aluminum vent tubing from the specifi and NO screening. Fasteners shall not protrude into or aluminum foil tape, not duct tape. Secure duct an	ed dryer location to a 4" wood to the interior of the exhaused hood to framing.	Base all mounted di st duct. Seal a	Quantity  Appliance A	ssessment a back flow preventer
Install 4" rigid aluminum vent tubing from the specifi and NO screening. Fasteners shall not protrude into or aluminum foil tape, not duct tape. Secure duct an	ed dryer location to a 4" w	Base all mounted di st duct. Seal a	Quantity  Appliance A  Tyer vent hood with a	ssessment a back flow preventer
Install 4" rigid aluminum vent tubing from the specifi and NO screening. Fasteners shall not protrude into or aluminum foil tape, not duct tape. Secure duct an	ed dryer location to a 4" wood to the interior of the exhaused hood to framing.	Base all mounted dist duct. Seal	Quantity  Appliance A  Tyer vent hood with a all seams in the system  ( =	ssessment a back flow preventer tem with duct mastic
Install 4" rigid aluminum vent tubing from the specificand NO screening. Fasteners shall not protrude into or aluminum foil tape, not duct tape. Secure duct and (BILL TO HEALTHY HOMES)	ed dryer location to a 4" w to the interior of the exhaus nd hood to framing. Bid Cost:	Base  all mounted di st duct. Seal a	Quantity  Appliance A Tyer vent hood with a all seams in the syst  Quantity  Hazardous (	ssessment a back flow preventer tem with duct mastic  Total Cost
Install 4" rigid aluminum vent tubing from the specific and NO screening. Fasteners shall not protrude into or aluminum foil tape, not duct tape. Secure duct as (BILL TO HEALTHY HOMES)  Exterior Handrails install pressure treated wood handrails at the back process.	ed dryer location to a 4" w to the interior of the exhaus nd hood to framing. Bid Cost:	Base  all mounted di st duct. Seal a	Quantity  Appliance A Tyer vent hood with a all seams in the syst  Quantity  Hazardous (	ssessment a back flow preventer tem with duct mastic  Total Cost
Install 4" rigid aluminum vent tubing from the specific and NO screening. Fasteners shall not protrude into or aluminum foil tape, not duct tape. Secure duct as (BILL TO HEALTHY HOMES)  Exterior Handrails install pressure treated wood handrails at the back puilding Code.	ed dryer location to a 4" w to the interior of the exhaus nd hood to framing. Bid Cost:	Base  all mounted di st duct. Seal a  Base  terials shall co	Quantity  Appliance A Tyer vent hood with a all seams in the syst  Quantity  Hazardous (	ssessment a back flow preventer tem with duct mastic  Total Cost

# **Work Specification**

Certification	
Contractor Name:	Total Cost:
Signature:	Date:

## LEAD ABATEMENT SCOPE OF WORK

& INSTRUCTIONS TO BIDDERS

Address

Complete the following scope of work:

Item # Feature Method

	Method	TTUTTE	Cost Per unit	CO31
Back Porch CeilingSide C	Enclose porch ceiling with Tyvek and vinyl soffit.			
	clearance. Back porch floor wipe showed an elevated level (95 ug/ft2). All other wipe samples			
	<u> </u>		Clean property as necessary to achieve clearance. Back porch floor wipe showed an elevated level (95 ug/ft2). All other wipe samples	Clean property as necessary to achieve clearance. Back porch floor wipe showed an elevated level (95 ug/ft2). All other wipe samples

Total Bid: \$
The undersigned contractor agrees to perform the scope of work for the indicated fee in accordance with applicable regulations and the project manual. The
undersigned also certifies that the work will be completed within days of award.
Signature of authorized contractor representative
Contractor Submitting Bid:
Address:
Phone:

